



PRODUCT NUMBER: 2232273

POLYTRIL™ AIR COMFORT

Light handling, assembling in oily environment. Handling in wet and greasy environment. Assembly work, plumbing, joinery, construction, automotive industry, white and brown goods.

Honeywell

Overview

Reference Number

2232273

Product Type

Gloves

Range

General purpose

Line

Light & medium handling

Brand

Honeywell

Brand formerly known as

SPERIAN

Industry

- Industry
- Automotive and Part Manufacturer
- Maintenance
- Offshore
- Transportation
- Utilities

Product Use

Light handling, assembling in oily environment. Handling in wet and greasy environment. Assembly work, plumbing, joinery, construction, automotive industry, white and brown goods.

Features & Benefits

Feature

Polyamide/Cotton/Elasthane knitted glove
Black foam nitrile on the palm and fingers
Open back
Elasticated knitted wrist

Benefit

COMFORT

The ergonomic seamless knit construction conforms better to the natural shape of the hand for greater strength and durability.

The Lycra® yarn gives a better tactile sensitivity for the assembling of small parts.
 The addition of cotton increases the absorption of perspiration and comfort.
 Nitrile foam coating and open back provide superior ventilation of the hand.
 The liner combining polyamide/cotton/elasthane avoids skin contact with the coating and helps keeping hands cool and dry.

RESISTANCE

The nitrile coating provides oil and abrasion resistance and breathability.
 The foam version of nitrile helps improving the grip in wet and oily environments.

HYGIENE

Black colour suitable for dirty applications and environments.

Technical Description

Description

CE CATEGORY : II Intermediary risks
 In accordance with standards :
 EN 420-03 Basic standards
 EN 388-16 Mechanical hazards

CHARACTERISTICS :

Polyamide/Cotton/Lycra® knitted glove
 Black foam nitrile coating on the palm and fingers
 Open back
 Elasticated knitted wrist

Product Technology

Knitted Coated

Gauge

13

Glove/liner color

Black

Coating Type

Polyamide, coton et lycra®

Length

24,5 cm

Harmlessness

In conformity with the European standards.

Dexterity

Class 5

Sizes

6 à 11

EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	3
Cutting resistance (Coupe test)	1
Tear resistance	2
Puncture resistance	1
Cutting resistance (TDM test)	X

Certifications

EC Category PPE

2

Quality Assurance

ISO 9001 / 2000

EC Certificate Number
0075/797/162/05/18/0795

EC Attestation
CE Certificate

EC Attestation Number
0075/797/162/05/18/0795

Additional Information

User Manual
UI 202

Maintenance

Storage Information
Minimum packaging : 10 pairs.
Cartons of 100 pairs.

Care Instructions
This article can be cleaned. For cleaning instructions, contact Honeywell Safety Products.