


## Konnect flex 45 click

Easy click mounting on the front of the module holder

- Easy and quick installation possible without requiring any tools
- Multiple connectivity
- Improved design, interface for level integration, no screws visible
- Frontwise dismounting of the adapter plates (only CablePort standard<sup>2</sup>)
- Also suitable for cable channels 45 with min. 60 mm installation depth



### Konnect flex 45 click - Miscellaneous

| Illustration                                                                        | Model                                                                                                                                                            | Connection, rear side          | Ref. No.     |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|--------------|
|   | Faceplate                                                                                                                                                        |                                | 7464 000 400 |
|                                                                                     | Faceplate (full size plate)                                                                                                                                      |                                | 7464 000 500 |
|  | Push-button, stainless steel, 48 VDC/125 mA                                                                                                                      | Screw connection               | 7464 000 441 |
|                                                                                     | Push-button, stainless steel, 30 VDC/500 mA                                                                                                                      | Euro plug                      | 7464 000 442 |
|                                                                                     | Push-button, stainless steel with blue LED light ring, 48 VDC/500 mA                                                                                             | Euro plug                      | 7464 000 443 |
|                                                                                     | light ring 9 - 12 VDC, (1 x open/close)                                                                                                                          |                                |              |
|                                                                                     | Push-button, stainless steel with blue LED light ring, 48 VDC/500 mA                                                                                             | Cable+plug, 3 m with open ends | 7464 000 448 |
|  | Faceplate with cable outlet                                                                                                                                      | Opening: 8 mm                  | 7464 000 446 |
|                                                                                     | with metal reinforcement on the rear                                                                                                                             | Opening: 12 mm                 | 7464 000 447 |
|  | Cable outlet socket incl. feed-through covers <b>NEW!</b><br>For 2 connection cables<br>needs the space of 4 half size plates<br>ideal for CablePort frame slide |                                | 7464 000 450 |
|  | Feed-through cover for SubD plug<br>with screws, replaces a cover of 7464 000 450                                                                                |                                | 7464 000 451 |
|  | Media control Neets SieRra                                                                                                                                       |                                | 7464 000 590 |
|                                                                                     | Media control Neets EcHo                                                                                                                                         |                                | 7464 000 591 |
|                                                                                     | Media control Neets EcHo Plus                                                                                                                                    |                                | 7464 000 593 |
|                                                                                     | NEB button field 8-fold<br>needs the space of 4 half size plates                                                                                                 |                                | 7464 000 592 |

## Konnect flex 45 click

The adapter plates are available in 4 versions

- socket / socket, ca. 20 cm

- socket / 13/19-pin plug

- socket / plug, 100 cm
- socket / plug, 300 cm



### Konnect flex 45 click - Digital

| Illustration                                                                        | Model                           | Connection, rear side | Ref. No.     |
|-------------------------------------------------------------------------------------|---------------------------------|-----------------------|--------------|
|   | HDMI - High Speed with Ethernet | Cable+plug            | 7464 000 542 |
|                                                                                     |                                 | Cable+plug, 1 m       | 7464 000 842 |
|                                                                                     |                                 | Cable+plug, 3 m       | 7464 000 942 |
|                                                                                     |                                 |                       |              |
|  | DVI-I (24 + 5-pin)              | Cable+plug            | 7464 000 502 |
|                                                                                     |                                 | Cable+plug, 3 m       | 7464 000 902 |
|  | DisplayPort                     | Cable+plug            | 7464 000 588 |
|                                                                                     |                                 | Cable+plug, 1 m       | 7464 000 888 |
|                                                                                     |                                 | Cable+plug, 3 m       | 7464 000 988 |
|                                                                                     |                                 |                       |              |

### Konnect flex 45 click - Digital to 19-pin system cable

| Illustration                                                                        | Model          | Connection, rear side | Ref. No.     |
|-------------------------------------------------------------------------------------|----------------|-----------------------|--------------|
|  | HDMI to 19-pin | Cable+plug            | 7464 000 561 |
|                                                                                     |                | Cable+plug, 3 m       | 7464 000 961 |

### Konnect flex 45 click - VGA/Video

| Illustration                                                                        | Model      | Connection, rear side | Ref. No.     |
|-------------------------------------------------------------------------------------|------------|-----------------------|--------------|
|  | VGA (HD15) | Cable+plug            | 7464 000 501 |
|                                                                                     |            | Cable+plug, 1 m       | 7464 000 801 |
|                                                                                     |            | Cable+plug, 3 m       | 7464 000 901 |

### Konnect flex 45 click - Analogue to 13-pin system cable

| Illustration                                                                        | Model                                 | Connection, rear side | Ref. No.     |
|-------------------------------------------------------------------------------------|---------------------------------------|-----------------------|--------------|
|  | VGA (HD15 fully configured) to 13-pin | Cable+plug            | 7464 000 552 |
|                                                                                     |                                       | Cable+plug, 3 m       | 7464 000 952 |



## Konnect flex 45 click - Audio

| Illustration                                                                        | Model                                                 | Connection, rear side                            | Ref. No.                                     |
|-------------------------------------------------------------------------------------|-------------------------------------------------------|--------------------------------------------------|----------------------------------------------|
|  | Audio L/R (cinch)                                     | Cable+plug<br>Cable+plug, 3 m                    | 7464 000 510<br>7464 000 910                 |
|  | Audio jack (3.5 mm stereo)                            | Cable+plug<br>Cable+plug, 1 m<br>Cable+plug, 3 m | 7464 000 511<br>7464 000 811<br>7464 000 911 |
|  | XLR socket, 3-pin (full size plate)<br>Neutrik socket | Soldering                                        | 7464 000 412                                 |

## Konnect flex 45 click - Daten/Netzwerk

| Illustration                                                                        | Model                      | Connection, rear side                            | Ref. No.                                     |
|-------------------------------------------------------------------------------------|----------------------------|--------------------------------------------------|----------------------------------------------|
|  | USB 2.0<br>Type A / Type A | Cable+plug<br>Cable+plug, 1 m<br>Cable+plug, 3 m | 7464 000 522<br>7464 000 822<br>7464 000 922 |
|  | USB 3.0<br>Type A / Type A | Cable+plug<br>Cable+plug, 3 m                    | 7464 000 529<br>7464 000 828                 |

## Konnect flex 45 click - Daten/Network

| Illustration                                                                        | Model                                                                                                                                                                                                                                                                                                            | Connection, rear side                            | Ref. No.                                     |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------|----------------------------------------------|
|    | <b>USB 2.0</b><br>B-socket/A-socket                                                                                                                                                                                                                                                                              | Cable+plug                                       | 7464 000 525                                 |
|    | <b>NEW!</b> <b>USB 2.0 active hub</b><br>B-socket/A-socket with integrated repeater<br>for max. 5 m cable length                                                                                                                                                                                                 | Cable+plug                                       | 7464 000 528                                 |
|    | <b>USB 2.0</b><br>B-socket/B-plug                                                                                                                                                                                                                                                                                | Cable+plug, 1 m                                  | 7464 000 829                                 |
|   | <b>Cat-6 (RJ45)</b><br>Cat-6a transmission properties are<br>compatible with the ANSI/TIA 568 C.2 standard<br>500 MHz according to ISO/IEC 60603-7-51, 11801 AMD2:2010-04<br>Suitable for outer diameter AWG 26/7 - 22/1<br>LSA clamps colour-coded according to EIA/TIA 568 A&B                                 | Cut+clamp                                        | 7464 000 423                                 |
|  | <b>Cat-6 (RJ45)</b>                                                                                                                                                                                                                                                                                              | Gender changer (1:1)                             | 7464 000 523                                 |
|  | <b>Cat-6 (RJ45) BTR Netcom</b><br>Fully protected interface from Metz connect<br>RJ45 cable coupling cat-6 class E<br>10 GBit Ethernet (IEEE 802.3an)<br>Compliance of class E according to ISO/IEC 11801 Ed.2.2:2011-06,<br>DIN EN 50173-1:2011-09<br>Suitable for Power over Ethernet (PoE, PoE plus and UPoE) | Gender changer (1:1)                             | 7464 000 526                                 |
|  | <b>NEW!</b> <b>Cat-6 (RJ45)</b>                                                                                                                                                                                                                                                                                  | Cable+plug<br>Cable+plug, 1 m<br>Cable+plug, 3 m | 7464 000 527<br>7464 000 827<br>7464 000 927 |
|  | <b>Cat-7 (GG45) Nexans</b><br>Certified up to 1000 MHz,<br>downward compatible with RJ45 (Cat-6)                                                                                                                                                                                                                 | Cut+clamp                                        | 7464 000 424                                 |
|  | <b>Cat-6/audio jack (3.5 mm stereo)</b>                                                                                                                                                                                                                                                                          | Cable+plug                                       | 7464 000 587                                 |