



AOC P2 24P2QM LED display 60.5 cm (23.8") 1920 x 1080 pixels Full HD Black

Brand : AOC

Product family: P2

Product code: 24P2QM

Product name : 24P2QM

Screen size (inch) 23.8, Panel resolution 1920x1080, Refresh rate 75 Hz, Panel type VA, HDMI HDMI 1.4 x 1, Display Port DisplayPort 1.2 x 1, D-SUB (VGA) 1x, DVI 1x DVI-D, Sync technology (VRR) Adaptive Sync

AOC P2 24P2QM LED display 60.5 cm (23.8") 1920 x 1080 pixels Full HD Black:

23.8" VA FHD monitor with an eye for comfort, with height adjustable stand and ergonomic features

The AOC 242P2QM is a 23.8" VA panel with FHD resolution and crisp and deep details, held in a three-side frameless chassis that you can adjust, pivot and tilt as needed for a comfortable user experience throughout long working hours. Easy on the eye with Anti-Glare, Low Blue Mode and Adaptive Sync to avoid blurriness. Essential but complete connectivity.



Display		Ports & interfaces	
Display diagonal *	60.5 cm (23.8")	HDMI version	1.4
Display resolution *	1920 x 1080 pixels	DisplayPorts quantity	1
HD type *	Full HD	DisplayPort version	1.2
Native aspect ratio *	16:9	Headphone out *	✓
Display technology *	LED	Headphone outputs	1
Panel type *	VA	Headphone connectivity	3.5 mm
Backlight type	W-LED	HDCP	✓
Touchscreen *	✗	HDCP version	1.4
Display brightness (typical)	300 cd/m²	AC (power) in	✓
Response time	4 ms	Mobile High-Definition Link (MHL)	✗
Anti-glare screen	✓	Ergonomics	
Screen shape *	Flat	VESA mounting *	✓
Contrast ratio (typical) *	3000:1	Panel mounting interface	100 x 100 mm
Contrast ratio (dynamic)	50000000:1	Wall mountable	✓
Maximum refresh rate *	75 Hz	Cable lock slot *	✓
Viewing angle, horizontal	178°	Cable lock slot type	Kensington
Viewing angle, vertical	178°	Height adjustment *	✓
Display number of colours *	16.7 million colours	Height adjustment	15 cm
Pixel pitch	0.2745 x 0.2745 mm	Pivot	✓
Pixel density	93 ppi	Swivelling	✓
Display diagonal (metric)	60.4 cm	Swivel angle range	0 - 180°
Surface hardness	6H	Tilt adjustment	✓
sRGB coverage (typical)	129%	Tilt angle range	-5 - 35°
NTSC coverage (typical)	113%	On Screen Display (OSD)	✓
Adobe RGB coverage	111%	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Croatian, Czech, German, Dutch, English, Spanish, Finnish, French, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Ukrainian
Performance		Number of OSD languages	19
NVIDIA G-SYNC *	✗	Power	
Fast charging	✓	Power consumption (typical) *	14.58 W
VESA Adaptive Sync support	✓		
Flicker-free technology	✓		
Low Blue Light technology	✓		
Dial point	✗		

Performance		Power	
Compatibility	VESA-P2	Power consumption (standby) *	0.5 W
Brand-specific features	False	Power consumption (off)	0.5 W
Multimedia		AC input voltage	100 - 240 V
Built-in speaker(s) *	✓	AC input frequency	50 - 60 Hz
Built-in camera *	✗	Power supply type	Internal
Number of speakers	2	Packaging content	
RMS rated power	4 W	Stand included	✓
Built-in microphone	✗	Cables included	AC
Design		HDMI cable length	1.8 m
Market positioning *	Home	Power cable length	1.8 m
Product colour *	Black	Weight & dimensions	
Frameless design	✓	Width (with stand)	384.4 mm
Front bezel colour	Black	Depth (with stand)	200.1 mm
Detachable stand	✓	Height (with stand)	540.2 mm
Feet colour	Black	Weight (with stand)	4.75 kg
Ports & interfaces		Width (without stand)	540.2 mm
Built-in USB hub *	✓	Depth (without stand)	50.7 mm
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Height (without stand)	326.4 mm
USB upstream port type	USB Type-B	Packaging data	
Number of upstream ports	1	Package width	634 mm
Number of USB Type-B upstream ports quantity	1	Package depth	160 mm
USB Type-A downstream ports quantity	4	Package height	513 mm
VGA (D-Sub) ports quantity	1	Package weight	7.24 kg
DVI port	✓	Package type	Box
DVI-D ports quantity	1	Other features	
HDMI *	✓	DCI-P3 coverage	103%
HDMI ports quantity	1	Exterior finish type	Matt
		Recyclable packaging material	100%
		Mean time between failures (MTBF)	50000 h
		Light effects	✗



4038986140713

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 10-MAY-2024. Prints or copies of Information are only valid on the printed Publication date