

# Delock Industrial Gigabit Ethernet Switch 8 Port RJ45 2 Port SFP for DIN rail

## Description

This robust, industry capable Gigabit Ethernet switch by Delock can be used to connect different network components.

Two SFP uplink ports with 1 Gbps offer flexible connection options.

### Redundant power supply with 9 V to 48 V

The switch accepts two terminal power sources, allowing it to be permanently connected to multiple power sources, enabling applications that require high availability.



**Item no. 88016**

EAN: 4043619880164

Country of origin: China

Package: White Box

## Specification

- Connectors:  
8 x RJ45 jack for 10/100/1000 Mbps Base-T  
2 x SFP slot for 1 Gbps SFP module  
1 x 5 pin terminal power connector
- Data transfer rate up to 1 Gbps
- Supports IEEE 802.3 / 802.3u / 802.3z / 802.3ab
- VLAN port Isolation
- LEDs for status monitoring
- Redundant power supply with 9 V to 48 V
- Power consumption: max. 6 W
- Robust metal housing
- Fanless
- Suitable for 35 mm DIN rail
- Protection class: IP40
- Operating temperature: -40 °C ~ 85 °C
- Dimensions (LxWxH): ca. 142 x 116 x 48 mm

## System requirements

- Power supply with DC 9 V - 48 V (not included)

---

## Package content

- Switch
- User manual

---

## Images



## General

|                |                |
|----------------|----------------|
| Mounting type: | DIN rail 35 mm |
|----------------|----------------|

## Interface

|              |                          |
|--------------|--------------------------|
| Connector 1: | 8 x RJ45 jack            |
| Connector 2: | 2 x SFP slot             |
| connector 3: | 1 x 5 pin terminal block |

## Technical characteristics

|                     |                               |
|---------------------|-------------------------------|
| Data transfer rate: | Gigabit Ethernet up to 1 Gbps |
|---------------------|-------------------------------|

## Physical characteristics

|                   |        |
|-------------------|--------|
| Housing colour:   | black  |
| Housing material: | metal  |
| Length:           | 142 mm |
| Width:            | 48 mm  |
| Height:           | 116 mm |