

RP-SMA jack for crimping RG-174 / RG-316 with matching shrink tube

Description

This jack by Delock with matching shrink tube is suitable for connecting components of radio frequency technology.



Item no. 91790

EAN: 4043619917907

Country of origin: Taiwan,
Republic of China

Package: Zip poly bag

Technical details

- Connector: 1 x RP-SMA jack for crimping
- Cable type: RG-174 / RG-316
- Housing: brass gold plated
- Impedance: 50 Ohm
- Frequency range: DC - 6 GHz
- Dimensions (LxWxH):
 - Connector: ca. 19.7 x 8 x 8 mm
 - Heat shrink tube: ca. 20 x 3.5 x 3.5 mm

System requirements

- Coaxial cable suitable for crimping

Package content

- 1 x HF Adapter

Interface

Connector:	1 x RP-SMA jack
------------	-----------------

Technical characteristics

Frequency range:	6 GHz
Impedance:	50 Ohm

Physical characteristics

For cable diameter from to:	RG-174
Material body:	brass gold plated
Diameter:	8 mm
Length:	19.7 mm

Manufacturer information

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de
Website	www.delock.de