

Epson EcoTank ET-5855 Inkjet A4 4800 x 2400 DPI 25 ppm Wi-Fi

Brand : Epson

Product family: EcoTank

Product code: C11CJ29406

Product name : ET-5855

A4, 3.8 pl, 4800 x 2400 DPI, 25 ppm, USB, Ethernet, WLAN, 10.9 cm Touchscreen, 19 W, 425 x 500 x 350 mm, 17.8 Kg

Epson EcoTank ET-5855. Print technology: Inkjet, Printing: Colour printing, Maximum resolution: 4800 x 2400 DPI, Print speed (colour, normal quality, A4/US Letter): 25 ppm. Copying: Colour copying. Scanning: Colour scanning, Optical scanning resolution: 2400 x 1200 DPI. Faxing: Colour faxing. Duplex functions: Copy, Print, Scan. Maximum ISO A-series paper size: A4. Wi-Fi. Direct printing. Product colour: Black



Printing		Input & output capacity	
Duplex printing mode	Auto	Auto document feeder (ADF) input capacity	50 sheets
Print technology *	Inkjet	Maximum input capacity	550 sheets
Printing *	Colour printing	Paper handling	
Duplex printing *	✓	Maximum ISO A-series paper size *	A4
Maximum resolution *	4800 x 2400 DPI	Paper tray media types *	Envelopes, Plain paper
Print speed (black, normal quality, A4/US Letter) *	25 ppm	ISO A-series sizes (A0...A9) *	A4, A5, A6
Print speed (colour, normal quality, A4/US Letter)	25 ppm	ISO B-series sizes (B0...B9)	B5, B6
Duplex print speed (black, normal quality, A4/US Letter)	21 ppm	Non-ISO print media sizes	Legal, Letter
Duplex print speed (colour, normal quality, A4/US Letter)	21 ppm	Envelopes sizes	10, C4, C6, DL
Time to first page (black, normal)	5.5 s	Paper tray media weight	64 - 300 g/m ²
Time to first page (colour, normal)	6 s	Ports & interfaces	
Copying		Direct printing *	✓
Duplex copying *	✓	USB port	✓
Duplex copying mode	Auto	Network	
Copying *	Colour copying	Wi-Fi *	✓
Scanning		Ethernet LAN *	✓
Duplex scanning *	✓	Security algorithms	64-bit WEP, 128-bit WEP, WPA-PSK, WPA-TKIP
Duplex scanning mode	Auto	Management protocols	SNMP, HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, Sntp, SLP, WSD, LLTD, Ping
Scanning *	Colour scanning	Mobile printing technologies	Epson Connect, Epson iPrint, Epson Email Print, Epson Remote Print, Apple AirPrint
Optical scanning resolution *	2400 x 1200 DPI	Design	
Scanner type *	Flatbed & ADF scanner	Product colour *	Black
Scan technology	CIS	Market positioning *	Home & office
Scan to	Cloud	Built-in display *	✓
Image formats supported	BMP, JPEG, TIFF, PNG	Display	LCD
Document formats supported	PDF	Display diagonal	10.9 cm (4.3")
Fax		Control type	Touch
Duplex faxing	✓	Colour display	✓
Faxing *	Colour faxing	Power	
Fax transmission speed	3 sec/page	Power consumption (average operating)	19 W
Modem speed	33.6 Kbit/s	Power consumption (copying)	19 W
Fax memory	180 pages	Power consumption (ready)	9.7 W
Auto-redialing	✓		
Speed dialling	✓		
Fax forwarding	✓		

Fax		Power	
Error Correction Mode (ECM)	✓	Power consumption (sleep)	0.8 W
Features		Power consumption (off)	0.2 W
Duplex functions *	Copy, Print, Scan	Energy Star Typical Electricity Consumption (TEC)	0.14 kWh/week
Ink tank system	✓	AC input voltage	220 - 240 V
Number of print cartridges *	4	AC input frequency	50/60 Hz
Printing colours *	Black, Cyan, Yellow, Magenta	System requirements	
Page description languages	PCL 3, PCL 5c, PCL 6, PDF 1.7, PostScript 3	Windows operating systems supported	Windows 10, Windows 10 x64, Windows 7, Windows 7 x64, Windows 8, Windows 8 x64, Windows 8.1, Windows 8.1 x64, Windows Vista, Windows Vista x64, Windows XP Professional x64, Windows XP
Printer fonts	PCL, PostScript		Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Input & output capacity		Mac operating systems supported	Windows Server 2008 R2, Windows Server 2012 R2, Windows Server 2016, Windows Server 2003 R2, Windows Server 2003
Total number of input trays *	3	Weight & dimensions	
Total input capacity *	250 sheets	Width	425 mm
Total output capacity *	125 sheets	Depth	500 mm
Paper tray 1 input capacity	250 sheets	Height	350 mm
Paper tray 2 input capacity	250 sheets	Weight	17.8 kg
Auto document feeder (ADF)	✓	Packaging content	
		Cartridge(s) included	✓
		Cables included	AC



8715946734668

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.