



LevelOne 24-Port Fast Ethernet Switch

Brand : LevelOne

Product code: FSW-2450

Product name : 24-Port Fast Ethernet Switch




- "Provides flexibility of 24 x 10/100BASE-TX ports
 - 1000Mbps full-duplex, 10/100Mbps full/half-duplex, auto-negotiation, auto-MDI/MDIX
 - Supports 8K MAC address auto-learning and auto-aging
 - IEEE 802.3x Flow Control protects against lost packets for reliable data transmission"
- 24x 10/100Mbps, 8192 MAC, 4.8Gbps, QoS

LevelOne 24-Port Fast Ethernet Switch. Switch type: Unmanaged. Basic switching RJ-45 Ethernet ports type: Fast Ethernet (10/100), Basic switching RJ-45 Ethernet ports quantity: 24. Full duplex. MAC address table: 8192 entries, Switching capacity: 4.8 Gbit/s. Networking standards: IEEE 802.1p, IEEE 802.3, IEEE 802.3u, IEEE 802.3z. Power connector: DC-in jack. Rack mounting



Management features		Power	
Switch type *	Unmanaged	AC input voltage	100 - 240 V
Quality of Service (QoS) support	✓	AC input frequency	50 - 60 Hz
Ports & interfaces		Power consumption (typical)	10 W
Basic switching RJ-45 Ethernet ports quantity *	24	Power over Ethernet (PoE)	
Basic switching RJ-45 Ethernet ports type *	Fast Ethernet (10/100)	Power over Ethernet (PoE) *	✗
Power connector	DC-in jack	Operational conditions	
Network		Operating temperature (T-T)	0 - 40 °C
Networking standards *	IEEE 802.1p, IEEE 802.3, IEEE 802.3u, IEEE 802.3z	Storage temperature (T-T)	-40 - 70 °C
10G support *	✗	Operating relative humidity (H-H)	10 - 90%
Copper ethernet cabling technology	10BASE-T, 100BASE-TX	Storage relative humidity (H-H)	5 - 95%
Cable types supported	Cat5	Weight & dimensions	
Full duplex	✓	Width	140 mm
Flow control support	✓	Depth	440 mm
Rate limiting	✓	Height	44 mm
Auto MDI/MDI-X	✓	Weight	1.45 kg
Auto-negotiation	✓	Packaging content	
MAC address auto-learning supported	✓	Cables included	AC
Data transmission		Quick start guide	✓
Switching capacity *	4.8 Gbit/s	Rack mount kit	✓
MAC address table *	8192 entries	Packaging data	
Store-and-forward	✓	Package width	224 mm
Packet buffer memory	0.16 MB	Package depth	486 mm
Protocols		Package height	77 mm
Switching protocols	CSMA, CD	Package weight	2.13 kg
Design		Certificates	
Rack mounting *	✓	Certification	FCC Class A, CE, RoHS
Product colour	Black	Logistics data	
		Country of origin	China
		Master (outer) case width	405 mm
		Master (outer) case length	500 mm


Design		Logistics data	
LED indicators	Activity, Link, Power	Master (outer) case height	240 mm
Performance		Harmonized System (HS) code	85176990
Maximum cable length	100 m	Master (outer) case gross weight	11.6 kg



4015867136454



5711045300837



0878742005597



878742005597

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.