



Lenovo Intel Xeon Silver 4309Y processor 2.8 GHz 12 MB Box

Brand : Lenovo

Product code: 4XG7A63543

Product name : Intel Xeon Silver 4309Y

ThinkSystem SN550 V2 Intel Xeon Silver 4309Y 8C 105W 2.8GHz Processor Option Kit w/o Fan

[Lenovo Intel Xeon Silver 4309Y processor 2.8 GHz 12 MB Box:](#)

ThinkSystem servers incorporate Intel Xeon Scalable Family processors to enable critical business workloads and applications. The Intel scalable design provides significant improvement in performance, advanced reliability, scalability and hardware-enhanced security. Enhancements include higher per-core performance, greater memory bandwidth, expanded I/O, and improved security. This page allows you compare the features of the processors.

Lenovo Intel Xeon Silver 4309Y. Processor family: Intel Xeon Silver, Processor socket: LGA 4189, Processor lithography: 10 nm. Memory channels: Octa-channel, Maximum internal memory supported by processor: 6 TB, Memory types supported by processor: DDR4-SDRAM. Market segment: Server, Supported instruction sets: SSE4.2, AVX, AVX 2.0, AVX-512, Scalability: 2S. Maximum Enclave Size Support for Intel® SGX: 8 GB. Processor package size: 77.5 x 56.5 mm



Processor		Processor special features	
Processor manufacturer *	Intel	Intel® AES New Instructions (Intel® AES-NI)	✓
Processor generation	3rd Generation Intel® Xeon® Scalable	Intel Trusted Execution Technology	✓
Processor model *	4309Y	Intel® Speed Shift Technology	✓
Processor base frequency *	2.8 GHz	Intel® Transactional Synchronization Extensions	✓
Processor family *	Intel Xeon Silver	Intel® Total Memory Encryption	✓
Processor cores *	8	Intel® Crypto Acceleration	✓
Processor socket *	LGA 4189	Intel® Platform Firmware Resilience Support	✓
Component for	Server/workstation	Maximum Enclave Size Support for Intel® SGX	8 GB
Processor lithography *	10 nm	Intel VT-x with Extended Page Tables (EPT)	✓
Processor series	Intel Xeon Silver 4000 Series	Intel Software Guard Extensions (Intel SGX)	✓
Processor threads	16	Intel 64	✓
System bus rate	10.4 GT/s	Intel Virtualization Technology (VT-x)	✓
Processor operating modes *	64-bit	Intel Virtualization Technology for Directed I/O (VT-d)	✓
Processor boost frequency	3.6 GHz	AVX-512 Fused Multiply-Add (FMA) units	2
Performance-core base frequency	2.8 GHz	Intel® Deep Learning Boost (Intel® DL Boost) on CPU	✓
Processor cache	12 MB	Intel® Speed Select technology - Performance Profile (Intel® SST-PP)	✓
Thermal Design Power (TDP)	105 W	Intel® Resource Director Technology (Intel® RDT)	✓
Package type *	Box	Intel® Volume Management Device (VMD)	✓
Cooler included *	✗	Mode-based Execute Control (MBE)	✓
Processor codename	Ice Lake	Intel® Optane™ DC Persistent Memory Supported	✗
Processor ARK ID	215275		
Memory		Operational conditions	
Maximum internal memory supported by processor	6 TB	Tcase	76 °C
Memory types supported by processor	DDR4-SDRAM	Technical details	
Memory clock speeds supported by processor	2667 MHz	Target market	Cloud Computing
Memory channels *	Octa-channel	Launch date	Q2'21
ECC	✓		
Graphics			
On-board graphics card *	✗		
Discrete graphics card *	✗		
On-board graphics card model *	Not available		
Discrete graphics card model *	Not available		

Features		Technical details	
Execute Disable Bit	✓	Status	Launched
Market segment	Server	Supported memory types	DDR4-SDRAM
Maximum number of PCI Express lanes	64	Memory speed (max)	2667 MHz
PCI Express slots version	4.0	Number of UPI links	2
Supported instruction sets	SSE4.2, AVX, AVX 2.0, AVX-512	Servicing status	Baseline Servicing
Scalability	2S	Logistics data	
Embedded options available	✗	Harmonized System (HS) code	85423119
Export Control Classification Number (ECCN)	5A992CN3	Weight & dimensions	
Commodity Classification		Processor package size	77.5 x 56.5 mm
Automated Tracking System (CCATS)	G178966	Other features	
Processor special features		Maximum internal memory	6 TB
Intel® Hyper Threading Technology (Intel® HT Technology)	✓		
Intel® Turbo Boost Technology	2.0		

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.