



## Acer S1386WH Standard throw projector 3600 ANSI lumens DLP WXGA (1280x800) White

**Brand :** Acer

**Product code:** MR.JQU11.001

**Product name :** S1386WH



Acer S1386WH. Projector brightness: 3600 ANSI lumens, Projection technology: DLP, Projector native resolution: WXGA (1280x800). Light source type: Lamp, Service life of light source: 5000 h, Service life of light source (economic mode): 6000 h. Focus: Manual, Fixed focal length: 7.51 mm, Aperture range (F-F): 2.8 - 2.8. Analog signal format system: NTSC, PAL, SECAM, Supported graphics resolutions: 1280 x 800 (WXGA). Noise level: 32 dB, Noise level (economic mode): 24 dB, Projection modes: Ceiling, Front, Rear

| Projector                                    |                             | Ports & interfaces                  |                          |
|----------------------------------------------|-----------------------------|-------------------------------------|--------------------------|
| Supported aspect ratios                      | 4:3, 16:9                   | DC-in jack                          | ✓                        |
| Screen size compatibility *                  | 914.4 - 7620 mm (36 - 300") | Storage                             |                          |
| Projection distance                          | 0.4 - 3.4 m                 | Card reader integrated *            | ✗                        |
| Projector brightness *                       | 3600 ANSI lumens            | Features                            |                          |
| Projection technology *                      | DLP                         | Noise level (economic mode)         | 24 dB                    |
| Projector native resolution *                | WXGA (1280x800)             | Projection modes                    | Ceiling, Front, Rear     |
| Contrast ratio (typical) *                   | 20000:1                     | Noise level *                       | 32 dB                    |
| Native aspect ratio *                        | 16:10                       | Multimedia                          |                          |
| Number of colours                            | 1.073 billion colours       | Built-in speaker(s) *               | ✓                        |
| Keystone correction, vertical                | -40 - 40°                   | RMS rated power                     | 16 W                     |
| Horizontal synchronization (min)             | 15 kHz                      | Number of built-in speakers         | 1                        |
| Horizontal synchronization (max)             | 100 kHz                     | Design                              |                          |
| Vertical synchronization (min)               | 0.024 kHz                   | Market positioning *                | Education                |
| Vertical synchronization (max)               | 0.12 kHz                    | Product type *                      | Standard throw projector |
| Light source                                 |                             | Product colour *                    | White                    |
| Light source type *                          | Lamp                        | Housing material                    | Plastic                  |
| Service life of light source *               | 5000 h                      | Placement                           | Ceiling                  |
| Service life of light source (economic mode) | 6000 h                      | LED indicators                      | ✓                        |
| Lamp type                                    | OSRAM                       | Display                             |                          |
| Lamp power                                   | 220 W                       | Built-in display *                  | ✗                        |
| Lamps quantity                               | 1 lamp(s)                   | Power                               |                          |
| Lens system                                  |                             | Power source *                      | AC                       |
| Focus *                                      | Manual                      | Power consumption (typical) *       | 270 W                    |
| Fixed focal length                           | 7.51 mm                     | Power consumption (PowerSave)       | 210 W                    |
| Aperture range (F-F)                         | 2.8 - 2.8                   | AC input voltage                    | 120 - 230 V              |
| Digital zoom                                 | 2x                          | Software                            |                          |
| Optical zoom                                 | 1x                          | Windows operating systems supported | ✓                        |
| Throw ratio                                  | 0.52:1                      | Mac compatibility                   | ✓                        |
| Video                                        |                             | Mac operating systems supported     | ✓                        |
| Analog signal format system *                | NTSC, PAL, SECAM            | Operational conditions              |                          |
| Supported graphics resolutions               | 1280 x 800 (WXGA)           | Operating temperature (T-T)         | 0 - 40 °C                |
| Ports & interfaces                           |                             | Weight & dimensions                 |                          |
| Audio (L/R) in *                             | 1                           | Weight *                            | 3.1 kg                   |
| Audio (L/R) out                              | 1                           |                                     |                          |
| VGA (D-Sub) ports quantity *                 | 2                           |                                     |                          |
| HDMI ports quantity *                        | 1                           |                                     |                          |
| Composite video in *                         | 1                           |                                     |                          |

| Packaging content           |                    |
|-----------------------------|--------------------|
| Remote control included *   | ✓                  |
| Remote control type         | IR                 |
| Quick start guide           | ✓                  |
| Logistics data              |                    |
| Harmonized System (HS) code | 85286200           |
| Other features              |                    |
| Maximum digital resolution  | 1920 x 1200 pixels |



4713883722711

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 03-MAY-2026. Prints or copies of Information are only valid on the printed Publication date