



DELL S Series S2725DS computer monitor 68.6 cm (27") 2560 x 1440 pixels Quad HD LCD White

Brand : DELL

Product family: S Series

Product code: DELL-S2725DS

Product name : S2725DS

- 68.6cm (27") Quad HD 2560 x 1440 Edge LED IPS
- 8ms, 16:9, 300cd/m², 1500:1
- HDMI, DisplayPort
68.6cm (27") Quad HD 2560 x 1440 Edge LED IPS, 16:9, 300cd/m², 16.7M, 8ms, 178°/178°, 1500:1

DELL S Series S2725DS computer monitor 68.6 cm (27") 2560 x 1440 pixels Quad HD LCD White:

A 27 inch QHD monitor with 5W built-in speakers and a lifestyle-inspired design that blends into any living space.

DELL S Series S2725DS. Display diagonal: 68.6 cm (27"), Display resolution: 2560 x 1440 pixels, HD type: Quad HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). VESA mounting, Height adjustment. Product colour: White



Display		Ergonomics	
Display diagonal *	68.6 cm (27")	Swivel angle range	-30 - 30°
Display resolution *	2560 x 1440 pixels	Tilt adjustment	✓
HD type *	Quad HD	Tilt angle range	-5 - 21°
Native aspect ratio *	16:9	On Screen Display (OSD)	✓
Display technology *	LCD	Plug and Play	✓
Panel type *	IPS	LED indicators	✓
LED backlight	✓	Power	
Backlight type	Edge LED	Energy efficiency class (SDR) *	E
Touchscreen *	✗	Energy consumption (SDR) per 1000 hours *	21 kWh
Display brightness (typical)	300 cd/m ²	Power consumption (typical) *	21.4 W
Response time *	8 ms	Power consumption (standby) *	0.3 W
Anti-glare screen	✓	Power consumption (max)	57 W
Screen shape *	Flat	Power consumption (off)	0.3 W
Supported video modes	480p, 576p, 720p, 1080i, 1080p, 1440p	AC input voltage	100 - 240 V
Contrast ratio (typical) *	1500:1	AC input frequency	50/60 Hz
Maximum refresh rate *	100 Hz	Input current	1.5 A
Viewing angle, horizontal	178°	Power supply type	Internal
Viewing angle, vertical	178°	Energy efficiency scale	A to G
Display number of colours *	16.7 million colours	Operational conditions	
Response time (fast)	5 ms	Operating temperature (T-T)	0 - 40 °C
Pixel pitch	0.2331 x 0.2331 mm	Storage temperature (T-T)	-20 - 60 °C
Pixel density	109 ppi	Operating relative humidity (H-H)	10 - 80%
Horizontal scan range	28 - 151 kHz	Storage relative humidity (H-H)	10 - 90%
Vertical scan range	48 - 100 Hz	Operating altitude	0 - 5000 m
Viewable size, horizontal	59.7 cm	Non-operating altitude	5000 - 12192 m
Viewable size, vertical	33.6 cm		
Surface hardness	3H		
sRGB coverage (typical)	99%		

Performance			Weight & dimensions	
NVIDIA G-SYNC *	✗		Width (with stand)	611.3 mm
AMD FreeSync *	✗		Depth (with stand)	200.4 mm
Flicker-free technology	✓		Height (with stand)	518.6 mm
Low Blue Light technology	✓		Weight (with stand)	6.27 kg
Multimedia			Width (without stand)	611.3 mm
Number of speakers	2		Depth (without stand)	58.8 mm
RMS rated power	10 W		Height (without stand)	356 mm
Built-in speaker(s) *	✓		Weight (without stand)	4.49 kg
Built-in camera *	✗		Bezel width (side)	7.3 mm
Design			Bezel width (top)	7.3 mm
Market positioning *	Office		Bezel width (bottom)	1.3 cm
Product colour *	White		Packaging data	
Colour name	Ash White		Package weight	8.64 kg
Front bezel colour	Black		Packaging content	
Feet colour	White		Stand included	✓
Ports & interfaces			Cables included	AC, HDMI
Built-in USB hub *	✗		HDMI cable length	1.8 m
HDMI *	✓		Sustainability	
HDMI ports quantity	2		Sustainability compliance	✓
HDMI version	2.1		Sustainability certificates	ENERGY STAR
DisplayPorts quantity	1		Doesn't contain	PVC/BFR
DisplayPort version	1.2		Carbon footprint	
Headphone out *	✗		Total carbon footprint (kg of CO2e)	225
HDCP	✓		Carbon emissions, manufacturing (kg of CO2e)	95.4
HDCP version	1.4		Carbon emissions, logistics (kg of CO2e)	16.2
Ergonomics			Carbon emissions, energy usage (kg of CO2e)	104.625
VESA mounting *	✓		Carbon emissions, end-of-life (kg of CO2e)	8.775
Panel mounting interface	100 x 100 mm		PAIA version	GaBi version 1, 2024
Cable management	✓		Other features	
Cable lock slot *	✓		Heavy metals free	Hg (mercury)
Cable lock slot type	Kensington		Compliance certificates	RoHS
Height adjustment *	✓			
Adjustable height (max)	13 cm			
Pivot	✓			
Pivot angle	-90 - 90°			
Swivelling	✓			



5397184821633



0884116465102



884116465102



5715063784259

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.