

Samsung OM32DX 81.3 cm (32") LCD Wi-Fi 2000 cd/m² Full HD Black Tizen 24/7



Brand : Samsung

Product code: LH320MDEBGBXEN

Product name : OM32DX

- High Brightness

- Slim Depth

- IP5X & Overheating Mitigation

Window Signage OM32DX, 32", 1920 x 1080, VA, sRGB 72%, 15~135kHz(HDMI), HDCP 2.2, RJ45, RS232, Bluetooth, WiFi

Samsung OM32DX. Display diagonal: 81.3 cm (32"), Display technology: LCD, Display resolution: 1920 x 1080 pixels, Display brightness: 2000 cd/m², HD type: Full HD. Wi-Fi. Operating hours (hours/days): 24/7. Operating system installed: Tizen. Product colour: Black

Display		Performance	
Panel type	VA	HDCP	✓
Display diagonal *	81.3 cm (32")	HDCP version	2.2
Display technology *	LCD	Power	
Display resolution *	1920 x 1080 pixels	Power consumption (typical) *	140 W
Display brightness *	2000 cd/m²	Power consumption (standby) *	0.5 W
HD type *	Full HD	AC input voltage	100 - 240 V
Touchscreen *	✗	AC input frequency	50/60 Hz
Response time	8 ms	Computer system	
Contrast ratio (typical)	4000:1	Operating system installed	Tizen
Dynamic contrast ratio marketing name	Mega Contrast	Operating system version	8.0
Viewing angle, horizontal	178°	Weight & dimensions	
Viewing angle, vertical	178°	Display width	732.5 mm
Pixel pitch	0.3637 x 0.3637 mm	Display depth	45.6 mm
Haze rate	0%	Display height	426.9 mm
Pixel frequency (max)	594 MHz	Display weight	7.6 kg
Colour gamut	72%	Packaging data	
Ports & interfaces		Package width	820 mm
HDMI ports quantity *	2	Package depth	127 mm
HDMI version	2.0	Package height	512 mm
DVI port *	✗	Package weight	9.7 kg
USB port *	✓	Operational conditions	
Ethernet LAN (RJ-45) ports	2	Operating temperature (T-T)	0 - 40 °C
RS-232 interface	✓	Operating relative humidity (H-H)	10 - 80%
Remote (IR) input	1	Network	
Audio		Ethernet LAN *	✓
Built-in speaker(s) *	✗	Wi-Fi *	✓
Design		Technical details	
Placement supported *	Indoor/outdoor	Audio out (mini jack)	1
Product colour *	Black	Compliance certificates	Electromagnetic Compatibility (EMC)
Screen shape	Flat	Other features	
VESA mounting *	✓	Bluetooth	✓
Panel mounting interface	100 x 100 mm		

Performance		Other features	
Operating hours (hours/days)	24/7	Display sRGB	✓
		Flash memory	8000 MB
		RS-232 input ports	1
		RS-232 output ports	1



8806095813363



8592978640194

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.