



Canon EOS 2000D + EF-S 18-55mm f/3.5-5.6 III SLR Camera Kit 24.1 MP CMOS 6000 x 4000 pixels Black

Brand : Canon

Product family: EOS

Product code: 2728C002

Product name : 2000D + EF-S
18-55mm f/3.5-5.6 III



Canon EOS 2000D + EF-S 18-55mm f/3.5-5.6 III. Camera type: SLR Camera Kit, Megapixel (approx.): 24.1 MP, Sensor type: CMOS, Maximum image resolution: 6000 x 4000 pixels. ISO sensitivity (max): 6400. Focal length range: 18 - 55 mm. Fastest camera shutter speed: 1/4000 s. Wi-Fi. HD type: Full HD, Maximum video resolution: 1920 x 1080 pixels. Display diagonal: 7.62 cm (3"). Viewfinder type: Optical. PictBridge. Product colour: Black

Picture quality		Display	
Camera type *	SLR Camera Kit	Display *	TFT
Megapixel (approx.) *	24.1 MP	Display diagonal *	7.62 cm (3")
Sensor type *	CMOS	Display diagonal (metric)	7.5 cm
Maximum image resolution *	6000 x 4000 pixels	Display resolution (numeric)	920000 pixels
Still image resolution(s) *	JPEG 3:2: (L) 6000 x 4000, (M) 3984 x 2656, (S1) 2976 x 1984, (S2) 1920 x 1280, (S3) 720 x 480	Viewfinder	
	JPEG 4:3: (L) 5328 x 4000, (M) 3552 x 2664, (S1) 2656 x 1992, (S2) 1696 x 1280, (S3) 640 x 480	Viewfinder type	Optical
	JPEG 16:9: (L) 6000 x 3368, (M) 3984 x 2240, (S1) 2976 x 1680 (S2) 1920 x 1080, (S3) 720 x 408	Magnification	0.8x
	JPEG 1:1: (L) 4000 x 4000, (M) 2656 x 2656, (S1) 1984 x 1984, (S2) 1280 x 1280, (S3) 480 x 480 RAW: (RAW) 6000 x 4000	Ports & interfaces	
Image stabilizer *	✗	PictBridge *	✓
Total megapixels	24.7 MP	USB version *	2.0
Sensor format	Advanced Photo System type-C (APS-C)	HDMI *	✓
Image formats supported *	JPEG	HDMI connector type	Mini
Lens system		USB port	✓
Focal length range	18 - 55 mm	Network	
Minimum aperture number	3.5	Bluetooth *	✗
Maximum aperture number	36	Wi-Fi *	✓
Lens structure (elements/groups)	11/9	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Lens type	Standard zoom	Near Field Communication (NFC) *	✓
Filter size	58 mm	Camera	
Number of diaphragm blades	6	White balance *	Auto, Cloudy, Custom modes, Daylight, Flash, Fluorescent, Shade, Tungsten
Lens mount interface	Canon EF-S	Scene modes *	Close-up (macro), Food, Night, Portrait, Sports, Landscape
Focusing		Shooting modes *	Aperture priority, Auto, Manual, Shutter priority
Focus adjustment *	Auto/Manual	Photo effects *	Black&White
Closest focusing distance	0.25 m	Self-timer delay *	2,10 s
Exposure		Brightness adjustment	✓
ISO sensitivity (min) *	100	Camera playback	Movie, Slide show
ISO sensitivity (max) *	6400	Dioptr correction	✓
ISO sensitivity	100, 6400, Auto	Playback zoom (max)	10x
Light exposure modes *	Auto, Manual	Histogram	✓
Light exposure control	Program AE	Live view	✓
Light exposure correction *	± 5EV (1/2EV; 1/3EV step)	Orientation sensor	✓
Auto Exposure (AE) lock	✓	Camera file system	DPOF 1.1, Raw
		Playback modes	Slideshow

Shutter		Camera	
Fastest camera shutter speed *	1/4000 s	Slideshow	✓
Slowest camera shutter speed *	30 s	Built-in processor	✓
Camera shutter type	Electronic	Image processor	DIGIC 4+
Flash		Windows operating systems supported	Windows 10, Windows 7, Windows 8.1
Flash modes *	Auto, Flash off, Flash on, Manual, Red-eye reduction, Second curtain synchro	Mac operating systems supported	✓
Flash exposure lock	✓	Design	
Flash guide number	9.2 m	Product colour *	Black
Flash recharging time	2 s	Battery	
Flash sync-speed	1/200 s	Battery technology *	Lithium-Ion (Li-Ion)
Flash exposure compensation	✓	Battery type	LP-E10
Flash exposure correction	±2EV (1/2, 1/3 EV step)	Number of batteries supported	1
Shoe mounting point	✓	Battery level indicator	✓
Shoe mounting point type	Hot shoe	Operational conditions	
Video		Operating temperature (T-T)	0 - 40 °C
Video recording *	✓	Weight & dimensions	
Maximum video resolution *	1920 x 1080 pixels	Width	129 mm
HD type *	Full HD	Depth	77.6 mm
Video resolutions	640 x 480, 1280 x 720, 1920 x 1080	Height	101.3 mm
Resolution at capture speed	640x480@25fps, 640x480@30fps, 1280x720@50fps, 1280x720@60fps, 1920x1080@24fps, 1920x1080@25fps, 1920x1080@30fps	Lens diameter	6.85 cm
Video formats supported	H.264, MOV	Lens length	7 cm
		Lens weight	200 g
Audio		Packaging content	
Built-in microphone *	✓	AC adapter included *	✓
Audio formats supported	PCM	Other features	
		Power source type	Battery
Memory		Technical details	
Compatible memory cards *	SD, SDHC, SDXC	Self-timer	✓
Memory slots	1		



4549292111842

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.